## SAFETY DATA SHEET

according to (EC) No. 1907/2006



**BASF** Group

	e/revised on: 14.12.2010 sion: 3				page 1/4	
	de name: Wolmanit <sup>®</sup> C	X-8 WB				
1	Identification of the substance / preparation and of the company / undertaking					
	Trade name:	Wolmanit <sup>®</sup> CX-8 WB	X-8 WB			
	Use:	Wood preservative				
	Manufacturer/Supplier:	pplier: Dr. Wolman GmbH, P.O.Box 1160, 76545 Sinzheim, Germany Tel. +49 7221 800-0, Fax +49 7221 800-210 e-mail: product-safety-wolman@wolman.de				
	Emergency information:	Product safety department	Tel. +	49 (0) 7221 800 - 0	/ -234	
2	Hazards identification					
	Principal hazard:	N				
	C - Corrosive	N - Dangerous for the environment				
	Critical hazard to man and environment:					
	R 34 Cause   R 50/53 Very 1	ful if swallowed es burns coxic to aquatic organisms, may cause onment	long-term a	dverse effects in th	ne aquatic	
3	Composition / information on ingredients *					
	Chemical nature: Liquid wood preservative salt based on copper components					
	12069-69-1 Copp	e I-cyclohexyldiazeniumdioxy)-copper er hydroxide carbonate nothanole	% 2.8 13.04 20-40	Classification Xn, N Xn, N C	<b>R-phrases</b> 22 – 41 – 50/53 20/22 – 50/53 20/21/22 - 34	
4	First-aid measures					
	General advice:	Remove contaminated	Remove contaminated clothing immediately			
	if inhaled:	Rest. Fresh air	Rest. Fresh air			
	on skin contact:	Immediately wash tho	Immediately wash thoroughly with plenty of water			
	on contact with eyes:		Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist			
	on ingestion:	Rinse mouth immedia	Rinse mouth immediately, seek medical attention			
5	Fire-fighting measures					
	Suitable extinguishing m	water, foam, powder,	Water, foam, powder, dry extinguishing media			
	Extinguishing media not Special protective equip		necessary			

Date/revised on: 14.12.2010 page 2/4 Version: 3 Wolmanit<sup>®</sup> CX-8 WB Trade name: Accidental release measures 6 Personal precautions: Ensure adequate ventilation **Environmental precautions:** Do not discharge into drains or into the soil Methods for cleaning up: Soak up with absorbent material. Prevent larger amount from spreading and pump into suitable container if possible 7 Handling and storage Handling: Wear personal protective equipment. The precautions generally taken with chemicals are to be observed when handling and applying the product. Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Storage: Storage in original container tightly closed. Keep out of reach of children. Protect from acids and acid forming substances. Ensure thorough ventilation of storage and work areas. 8 Exposure controls / personal protection Additional information on the lay-out of technical plant: see 7 **Exposure limit values:** 2-aminoethanole: TWA: 3 ppm (ACGIH TLV) STEL: 6 ppm (ACGIH TLV) Personal protective equipment: **Respiratory protection:** Breathing protection if ventilations is inadequate. Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact Hand protection: (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chlorophene rubber (0.5 mm), polyvinylchloride (0.7 mm) and other. Eye protection: Tightly fitting safety goggles (EN 166) Body protection: Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to DIN-EN 465). General safety and hygiene measures: Observe the precautions generally taken with chemicals 9 Physical and chemical properties Form: liquid Colour: blue weak Odour: Melting point /melting range: Boiling point / boiling range: Flash point: not applicable Ignition temperature: **Explosion limits:** no explosion hazard Vapour pressure: Density: 1.2 g/cm3 at 20 °C pH-value: approx. 9.6 at 20 g/l H<sub>2</sub>O and 25 °C miscible with water in each ratio Solubility in water:

33 mPas (20 °C)

Viscosity:

	revised on: 14.12.2010 ion: 3	page 3/4			
Trade name: Wolmanit <sup>®</sup> CX-8 WB					
10	Stability and reactivity				
	Conditions to be avoided:	Thermal decomposition > 250 °C			
	Substances to be avoided:	-			
	Hazardous decomposition products:	No decomposition if correctly stored and handled			
11	Toxicological information				
	LD <sub>50</sub> oral (rat): LD <sub>50</sub> dermal (rat):	approx. 500 mg/kg > 2000 mg/kg			
	Skin irritation (rabbit): Eye irritation (rabbit): Sensibilisation:	corrosive corrosive not sensitizing			
12	Ecological information				
	Ecotoxicity				
	- Toxicity to fish:	LC <sub>50</sub> (96 h): < 1 mg/l			
	<b>Elimination information:</b> The copper based active ingredients can be virtually eliminated from water.				
	<b>General advice:</b> Observe the legal provisions regarding the prevention of pollution of ground and surface water as well as air and soil. Do not discharge product into natural waters without pre-treatment.				
13	Disposal considerations				
	Product: Recommendations:	Dispose of by special means in accordance with local regulations e. suitable incineration			
	Contaminated packaging: Recommendations:	After employing and appropriate cleaning containers can be recycled or given back to the producer			

Vers	/revised on: 14.12.2010 sion: 3	page 4/4			
Trad	le name: Wolmanit <sup>®</sup> CX-8 WB				
14	Transport information *				
	Land transport ADR/RID and GGVS/GGVE (international/national):				
	Class:	8			
	UN-number:	1760			
	Description of the good:	CORROSIVE LIQUID, N.O.S. (ALKYLAMINE, COPPER CARBONATE			
	Packaging group:	II			
	Sea transport IMDG/GGVSee:				
	Class:	8			
	UN-number:	-			
	Proper shipping name:				
	Packaging group:	CORROSIVE LIQUID, N.O.S. (ALKYLAMINE, COPPER CARBONATE			
	Marine pollutant:	yes			
	EMS-number:	F-A, S-B			
	MFAG:	760			
	Air transport ICAO-TI and IATA-DGR:				
	Class:	8			
	UN-number:	1760			
	Proper shipping name:				
	Packaging group:	CORROSIVE LIQUID, N.O.S. (ALKYLAMINE, COPPER CARBONATI			
15	Regulatory information				
-					
	Labelling according to EC Directives:				
	C - Corrosive N - Dangerous for the environment				
	R 22	Harmful if swallowed			
	R 34	Causes burns			
	R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects			
		in the aquatic environment			
	S 2	Keep out of reach of children			
	S 13	Keep away from food, drink and animal feeding stuffs			
	S 20/21	When using do not eat, drink or smoke			
	S 26	In case of contact with eyes, rinse immediately with plenty of			
		water and seek medical advice			
	S 28	After contact with skin wash immediately with plenty of water			
	S 36/37/39	Wear suitable protective clothing, gloves and eye/face protection			
	S 45	In case of accident or if you feel unwell seek medical advice			
	0 +0	immediately (show the label where possible)			
	National legislation / regulations:				
6	Other information *				
	Full text of R-phrases mentioned in chapter 3:				
	R 22 Harmful if swallowed				
	R 20/21/22 Harmful by inhalation, in contact with skin and if swallowed				
	R 20/22 Harmful by inhalation and if swallowed				
	R 34 Causes burns				
	R 41 Risk of serious damage to eyes				
	R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment				
	* Data compared to the previous version altered				
	All information is given in conjunction with the Technical Leaflet. The information contained herein is based on the				
	All information is given in conjunction with	the Technical Leaflet. The information contained herein is based on the			
		n the Technical Leaflet. The information contained herein is based on the not therefore guarantee certain properties. Recipients of our product mu			